Safety Data Sheet ULTRACARE SMOOTH SILICONE

Safety Data Sheet dated: 29/03/2023 - version 1 Date of first edition: 29/03/2023



Section 1: Identification

GHS Product identifier

Mixture identification:

Trade name: ULTRACARE SMOOTH SILICONE

Trade code: 9011493

Recommended use of the chemical and restrictions on use

Recommended use: Siliconic sealant

Uses advised against: Data not available.

Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsable: sales@mapei.com.au

Emergency phone number

Australian Poisons Information Centre 24 Hour Service 13 11 26 Police or Fire Brigade 000

Section 2: Hazard(s) identification

Classification of the Hazardous chemical

The product is not classified as hazardous according to Australia WHS 2 (2021).

Adverse physicochemical, human health and environmental effects:

No other hazards

GHS label elements, including precautionary statements

The product is not classified as hazardous according to Australia WHS 2 (2021).

Other hazards which do not result in a classification

Other Hazards: No other hazards

Section 3: Composition and information on ingredients

Substances

no data available

Mixtures

Mixture identification: ULTRACARE SMOOTH SILICONE

Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
≥2.5 - <5 %	1-propoxypropan-2-ol	CAS:1569-01-3 EC:216-372-4	Flam. Liq. 3, H226; Eye Irrit. 2A, H319	01-2119474443-37-XXXX

Section 4: First-aid measures Description of necessary first-aid measures In case of skin contact: Wash with plenty of water and soap. In case of eyes contact: Wash immediately with water. In case of Ingestion: Do not induce vomiting, get medical attention showing the SDS and the hazard label. In case of Inhalation: Remove casualty to fresh air and keep warm and at rest. Symptoms caused by exposure no data available

no data available

Section 5: Firefighting measures

Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: no data available

Oxidizing properties: no data available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

HazChem Code/Emergency Action code

N.A.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

Retain contaminated washing water and dispose it.

Section 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists. Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Section 8: Exposure controls and personal protection Control parameters – exposure standards, biological monitoring

Predicted No Effect Concentration (PNEC) values

1-propoxypropan-2-ol Exposure Route: Fresh Water; PNEC Limit: 0.1 mg/l CAS: 1569-01-3

Exposure Route: Marine water; PNEC Limit: 0.01 mg/l
Exposure Route: Freshwater sediments; PNEC Limit: 0.386 mg/kg
Exposure Route: Marine water sediments; PNEC Limit: 0.0386 mg/kg
Exposure Route: Intermittent release; PNEC Limit: 1 mg/l
Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 4 mg/l
Exposure Route: Soil; PNEC Limit: 0.0185 mg/kg

Derived No Effect Level (DNEL) values

1-propoxypropan-2-olExposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Industry: 26 mg/m3; Worker Professional: 217 mg/m3Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Industry: 2.2 mg/kg; Worker Professional: 9 mg/kg

Appropriate engineering controls

no data available

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Not needed for normal use.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment. no data available

Section 9: Physical and chemical properties

Physical state: Liquid Appearance: liquid Color: transparent Odour: Characteristic pH: 10.00 Melting point / freezing point: no data available Initial boiling point and boiling range: 100 °C (212 °F) Flash point: no data available Evaporation rate: no data available Flammability (Solid, Gas) no data available Lower and upper explosion limit/flammability limits: no data available Vapour pressure: no data available Vapour density: no data available Relative density: 1.00 g/cm3 Solubility in water: soluble, immiscible Solubility in oil: soluble Partition coefficient (n-octanol/water): no data available Auto-ignition temperature: no data available Decomposition temperature: no data available Kinematic viscosity: no data available VOC % (Volatile Organic Compound) : No data available

Particle characteristics:

Particle size: no data available Particle size distribution: no data available Shape and aspect ratio: no data available Specific surface area: no data available

Section 10: Stability and reactivity Reactivity

Stable under normal conditions Chemical stability no data available Possibility of hazardous reactions None. Conditions to avoid

Print date

None in particular.

Hazardous decomposition products

None.

Section 11: Toxicological information Information on toxicological effects

Toxicological Information of the Preparation

a) acute toxicity	Not classified		
	Based on available data, the classification criteria are not met		
b) skin corrosion/irritation	Not classified		
	Based on available data, the classification criteria are not met		
c) serious eye damage/irritation	Not classified		
	Based on available data, the classification criteria are not met		
d) respiratory or skin sensitisation	Not classified		
	Based on available data, the classification criteria are not met		
e) germ cell mutagenicity	Not classified		
	Based on available data, the classification criteria are not met		
f) carcinogenicity	Not classified		
	Based on available data, the classification criteria are not met		
g) reproductive toxicity	Not classified		
	Based on available data, the classification criteria are not met		
h) STOT-single exposure	Not classified		
	Based on available data, the classification criteria are not met		
i) STOT-repeated exposure	Not classified		
	Based on available data, the classification criteria are not met		
j) aspiration hazard	Not classified		
	Based on available data, the classification criteria are not met		
Toxicological information on main components of the mixture:			

1-propoxypropan-2-ol a) acute toxicity LD50 Skin Rabbit = 3550 mg/kg LD50 Oral Rat = 2490 mg/kg

Section 12: Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

List of Eco-Toxicological properties of the components

Component

1-propoxypropan-2-ol

Ident. Numb. Ecotox Data

CAS: 1569-01-3 a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss > 100 mg/L 96h - EINECS: 216- ECHA

- EINECS: 372-4

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

Print date

Section 13: Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

no data available

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Clean waste packaging should be recycled when possible and authorized by the authority.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

Section 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

UN number

no data available

UN proper shipping name

no data available

Transport hazard class(es)

no data available

Packing group, if applicable

no data available

Environmental hazards

no data available

Special precautions for user

ADG-Subsidiary hazards no data available

ADG-S.P.: no data available

Road and Rail (ADR-RID):

no data available

Air (IATA):

no data available

Sea (IMDG):

no data available

Additional Information

no data available

HazChem Code/Emergency Action code

no data available

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICIS: all components are listed

Section 16: Any other relevant information

Code	Description
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.

Code	Hazard class and hazard category	Description						
2.6/3	Flam. Liq. 3	Flammable liquid, Category 3						
3.3/2A	Eye Irrit. 2A	Eye irritation, Category 2A						
	was prepared by a competent person who has							
Main bibliograph								
ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities								
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold								
	The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.							
	It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.							
	s and replaces any preceding release.	a chaoti						
-	eviations and acronyms used in the safety dat : American Conference of Governmental Indu							
	European Agreement concerning the Internation							
		onal Carriage of Dangerous Goods by Inland Waterways						
	cute Toxicity Estimate	5 5 , , ,						
ATEmix	: Acute toxicity Estimate (Mixtures)							
BCF: B	iological Concentration Factor							
BEI: Bi	ological Exposure Index							
	Biochemical Oxygen Demand							
	hemical Abstracts Service (division of the Am	erican Chemical Society).						
	oison Center							
	ropean Community							
	lassification, Labeling, Packaging. Carcinogenic, Mutagenic and Reprotoxic							
	Chemical Oxygen Demand							
	/olatile Organic Compound							
	hemical Safety Assessment							
	hemical Safety Report							
DMEL:	Derived Minimal Effect Level							
DNEL:	Derived No Effect Level.							
DPD: D	Dangerous Preparations Directive							
	DSD: Dangerous Substances Directive							
	EC50: Half Maximal Effective Concentration							
	European Chemicals Agency							
	5: European Inventory of Existing Commercia	i Chemical Substances.						
	posure Scenario ffVO: Ordinance on Hazardous Substances, G	ormany						
	Globally Harmonized System of Classification							
	International Agency for Research on Cancer							
	International Air Transport Association.							
	GR: Dangerous Goods Regulation by the "Int	ernational Air Transport Association" (IATA).						
	nalf maximal inhibitory concentration							
ICAO:	International Civil Aviation Organization.							
ICAO-1	I: Technical Instructions by the "Internationa	I Civil Aviation Organization" (ICAO).						
	International Maritime Code for Dangerous G							
	nternational Nomenclature of Cosmetic Ingre							
	Scientific Institute for Research, Hospitalizat	cion and Health Care						
KAFH:								
	<pre>kplosion coefficient. Lethal concentration, for 50 percent of test point</pre>	nulation						
	Lethal dose, for 50 percent of test population							
	Leathal Dose Low							
	lot Applicable							
	ot Applicable							
	ot defined/ Not available							
NA: No	t available							
NIOSH	: National Institute for Occupational Safety and	nd Health						
	: No Observed Adverse Effect Level							
	Occupational Safety and Health Administration ersistent, Bioaccumulative and Toxic	on.						
PBT: P								

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.